

SDS DATE: August 09, 2023

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT NAME:** Lipase Activity Assay I  
**PRODUCT CODE:** Cat# MA-0149  
**RESTRICTIONS ON USE:** For laboratory research purposes only. Not for drug or household use.  
**MANUFACTURER:** AkrivisBio, Inc.  
**ADDRESS:** 48511 Warm Springs Blvd., Suite 213, Fremont, CA 94539  
**EMERGENCY PHONE:** 408-739-9315  
**OTHER CALLS:**  
**FAX PHONE:**  
**EMAIL:** [sds@akrivisbio.com](mailto:sds@akrivisbio.com)

**SECTION 2: HAZARDS IDENTIFICATION**

Component	Description	Volume	Safety Information
Assay Buffer	Proprietary Buffer	25 ml	No hazards
OxiRed™	In DMSO	0.4 ml	See below
Enzyme Mix	Lyophilized	n/a	No hazards
Lipase Substrate	liquid (in 20% NP-40)	0.5 ml	See below
Glycerol Standard	liquid	0.2 ml	No hazards
Lipase Positive Control	Lyophilized	n/a	No hazards

**Tergitol:****Emergency Overview**

**OSHA Hazards:** Irritant, Harmful by ingestion  
**GHS Classification:** Acute toxicity, Oral (Category 4)  
Serious eye damage (Category 1)  
Skin irritation (Category 3)

**GHS Label elements, including precautionary statements****Pictogram:****Signal word:**

warning

**Hazard statement(s):**

H302 Harmful if swallowed.  
H316 Causes mild skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

**Precautionary statement(s):**

P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.  
P264 Wash hands thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**HMIS Classification**

**Health hazard:** 2  
**Flammability:** 1  
**Physical hazards:** 0

**NFPA Rating**

**Health Hazard:** 2  
**Fire:** 1  
**Reactivity Hazard:** 0

**Potential Health Effects**

**Inhalation:** May be harmful if inhaled. Causes respiratory tract irritation.  
**Skin:** Harmful if absorbed through skin. Causes skin irritation.  
**Eyes:** Causes eye irritation.  
**Ingestion:** Harmful if swallowed.


**DMSO:****Emergency Overview**

**OSHA Hazards:** Combustible liquid, Target organ effect  
**Target Organs:** Eyes, Skin  
**GHS Classification:** Flammable liquids (Category 4)  
**GHS Label elements, including precautionary statements**  
**Pictogram:** none  
**Signal word:** Warning  
**Hazard statement(s):** H227 Combustible liquid

**Precautionary statement(s):** none**HMIS Classification**

**Health hazard:** 0  
**Chronic Health Hazard:** \*  
**Flammability:** 2  
**Physical hazards:** 0

**NFPA Rating**



**Health hazard:** 0

**Fire:** 2

**Reactivity Hazard:** 0

**Potential Health Effects**

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.

**Skin:** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes:** May cause eye irritation.

**Ingestion:** May be harmful if swallowed.

**Aggravated Medical Condition:** Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS Number	EC-No.	Molecular Weight	Chemical Formula
	84133-50-6	----	----	----
DMSO	67-68-5	200-664-3	78.13	C <sub>2</sub> H <sub>6</sub> OS

**SECTION 4: FIRST AID MEASURES**

**General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact:** Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed:** DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**SECTION 5: FIRE-FIGHTING MEASURES**

**DMSO:**

**Suitable extinguishing media:** For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

**Special protective equipment for firefighters:** Wear self-contained breathing apparatus for firefighting if necessary.

**Hazardous combustion products:** Hazardous decomposition products formed under fire conditions – see section 10.

**Further information:** Use water spray to cool unopened containers.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Methods for cleaning up:** Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

**SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition (no smoking). Take measures to prevent the buildup of electrostatic charge.

**Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: -20 °C

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**DMSO:**

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

**Personal protective equipment**

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Eye protection**

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin and body protection**


Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Property	Tergitol	DMSO
----------	----------	------



<b>Appearance:</b>	Liquid	Clear liquid
<b>pH:</b>	7.1 at 10 g/l	No data available
<b>Water Solubility:</b>	No data available	Completely miscible
<b>Other Solubility:</b>	No data available	No data available
<b>Boiling Point (°C)</b>	>250°C	189 °C (372 °F)
<b>Melting Point (°C)</b>	No data available	16-19 °C (61-66 °F)
<b>Flash Point (°C)</b>	193°C (235 °F)	87 °C (189 °F)
<b>Ignition Temp. (°C)</b>	No data available	301 °C (574 °F)
<b>Density:</b>	1.06 g/ml	1.1 g/ml

## SECTION 10: STABILITY AND REACTIVITY

Property	Tergitol	DMSO
<b>Chemical Stability:</b>	Stable under recommended storage conditions	
<b>Conditions to Avoid:</b>	No data available	Heat, flames, sparks
<b>Materials to Avoid:</b>	Strong oxidizing agents, strong acids, strong bases	Acid chlorides, phosphorus halides, strong acids, strong oxidizing agents, strong reducing agents
<b>Hazardous decomposition: products:</b>	Carbon oxides	Carbon oxides, sulfur oxides

## SECTION 11: TOXICOLOGICAL INFORMATION

### Tergitol:

**Acute toxicity:** Harmful if swallowed or inhaled

LD50 ingestion – rat > 412 mg/kg

**Skin corrosion/irritation:** Skin – rabbit – mild skin irritation. May cause drying/ flaking. May cause itching.

LD50, rabbit > 2800 mg/kg

**Serious eye damage/eye irritation:** Eyes – rabbit – severe eye irritation.

May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

**Skin sensitization:** Did not cause allergic skin reactions when tested in humans. .

**Germ cell mutagenicity:** no data available

### **Carcinogenicity:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** no data available

**Teratogenicity:** no data available

**Specific target organ toxicity – single exposure (GHS):** Inhalation – may cause respiratory irritation.

**Specific target organ toxicity – repeated exposure (GHS):** no data available

### **Potential Health Effects**

**Inhalation:** May be harmful if inhaled. Causes respiratory tract irritation.

**Skin:** Harmful if absorbed through skin. Causes skin irritation.

**Eyes:** Causes eye irritation.

**Ingestion:** Harmful if swallowed.

**Signs and Symptoms of Exposure:** Exposure may cause nausea, headache, and/or vomiting. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **DMSO:**

**Acute toxicity:** LD50 Oral - rat - 14,500 mg/kg

LC50 Inhalation - rat - 4 h - 40250 ppm

LD50 Dermal - rabbit - > 5,000 mg/kg

**Skin corrosion/irritation:** no data available

**Serious eye damage/eye irritation:** no data available

**Respiratory/skin sensitization:** no data available

**Germ cell mutagenicity:** Genotoxicity in vitro - mouse – lymphocyte→ Cytogenetic analysis

Genotoxicity in vitro - mouse – lymphocyte→ Mutation in mammalian somatic cells.

Genotoxicity in vivo - rat – Intraperitoneal→ Cytogenetic analysis

Genotoxicity in vivo - mouse – Intraperitoneal→ DNA damage

**Carcinogenicity:** Carcinogenicity – rat – Oral→ Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin & Appendages: Other: Tumors.

Carcinogenicity – mouse – Oral→ Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Leukaemia Skin & Appendages: Other: Tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.


ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Reproductive toxicity – rat – Intraperitoneal→ Effects on Fertility: Abortion.

Reproductive toxicity – rat – Intraperitoneal→ Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).



Reproductive toxicity – rat – Subcutaneous → Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Fertility: Litter size (e.g., # fetuses per litter; measured before birth).

Reproductive toxicity – mouse – Oral → Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

**Teratogenicity:** Developmental Toxicity – mouse – Intraperitoneal → Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

**Signs and Symptoms of Exposure:** Exposure via ingestion may cause nausea, fatigue, headache.

**Additional Information:** RTECS: PV6210000

---

## SECTION 12: ECOLOGICAL INFORMATION

---

### **Tergitol:**

**Persistence and degradability:** Material is readily biodegradable.

**Toxicity: Acute** Toxicity to fish: mortality LC50 – Pimephales promelas (fathead minnow) – 3.2-3.6 mg/l, 96 h

Toxicity to daphnia and other aquatic invertebrates: mortality EC50 Daphnia magna (water flea) – 7.3 mg/l – 48 h

**Bioaccumulative potential:** Does not bioaccumulate

**Mobility in soil:** no data available

**PBT and vPvB assessment:** no data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Moderately toxic to aquatic life on an acute basis

### **DMSO:**

**Persistence and degradability:** no data available

**Toxicity: Toxicity to fish:** LC50 – Pimephales promelas (fathead minnow) – 34,000 mg/l – 96 h

LC50 – Oncorhynchus mykiss (rainbow trout) – 35,000 mg/l – 96 h

**Toxicity to daphnia and other aquatic invertebrates:** EC50 – Daphnia pulex (Water flea) – 27,500 mg/l

**Toxicity to algae:** EC50 – Lepomis macrochirus (Bluegill) – >400,000 mg/l – 96 h

**Bioaccumulative potential:** no data available

**Mobility in soil:** no data available

**PBT and vPvB assessment:** no data available

**Other adverse effects:** no data available

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

**Product:** Observe all federal, state, and local environmental regulations.

**Contaminated packaging:** Dispose of as unused product.

---

## SECTION 14: TRANSPORT INFORMATION

---

### **DMSO:**

**DOT (US):** UN-Number: 1993, Class: CBL, Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide); Marine pollutant: No; Poison Inhalation Hazard: No

**IMDG:** Not dangerous goods.

**IATA:** Not dangerous goods.

---

## SECTION 15: REGULATORY INFORMATION

---

**OSHA Hazards:** DMSO: Combustible liquid, Target organ effect

**SARA 302 Components:** SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components:** The following components are subject to reporting levels established by SARA Title II, Section 313:

**SARA 311/312 Hazards:** DMSO: Fire Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components:** No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components:** Dimethyl sulfoxide CAS-No. 67-68-5; Revision Date: 2007-03-01

**New Jersey Right To Know Components:** Dimethyl sulfoxide CAS-No. 67-68-5; Revision Date: 2007-03-01

**California Prop. 65 Components:** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **EU regulations:**

Component	Risk Phrases	Safety Phrases
NP-40	R22, R37/38, R41, R50	S23, S29, S36/37/39, S45, S56, S61
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45

---

## SECTION 16: OTHER INFORMATION:

---

### **DISCLAIMER:**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. AkrivisBio Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.