

SDS DATE: July 02, 2023

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Citrate Assay PRODUCT CODES: Cat# MA-0139

RESTRICTIONS ON USE: For laboratory research purposes only. Not for drug or household use.

MANUFACTURER: AkrivisBio, Inc.

ADDRESS: 48511 Warm Springs Blvd., Suite 213, Fremont, CA 94539

**EMERGENCY PHONE:** 408-739-9315

OTHER CALLS: FAX PHONE:

EMAIL: sds@akrivisbio.com

#### **SECTION 2: HAZARDS IDENTIFICATION**

Component	Description	Volume	Safety Information
Assay Buffer	Proprietary Buffer (contains Tergitol)	25 ml	See below
ADHP Solution	In DMSO	0.2 ml	See below
Citrate Lyase	Lyophilized	n/a	No hazards
Enzyme Mix	Lyophilized	n/a	No hazards
Citrate Standard	Solution	0.1 ml	No hazards

### Tergitol:

**Emergency Overview** 

GHS Classification: Skin irritation (Category 2), H315

Skin sensitization (Sub-category 1A), H317

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410 GHS Label elements, including precautionary statements

Pictogram:

Signal word: Warning

Hazard statement(s): H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s): P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposalplant

**HMIS Classification** 

Health hazard: 0 Chronic health hazard:

Flammability: 0

Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity hazard: 0
Potential Health Effects

**Inhalation:** May be harmful if inhaled. Material is irritating to the tissue of the mucous membranes and upper respiratory tract. Harmful; if inhaled. May cause allergy or asthma symptoms or breathing difficulties.

Skin: May be harmful if absorbed through skin. May cause an allergic skin reaction.

**Eyes:** Causes eye irritation. **Ingestion**: Harmful if swallowed.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated

#### DMSO:

**Emergency Overview** 

OSHA Hazards: Combustible liquid, Target organ effect

Target Organs: Eyes, Skin

GHS Classification: Flammable liquids (Category 4)
GHS Label elements, including precautionary statements

Pictogram: none Signal word: Warning

Hazard statement(s): H227 Combustible liquid

Precautionary statement(s): none

HMIS Classification Health hazard: 0 Chronic Health Hazard: \*



Flammability: 2 Physical hazards: 0 NFPA Rating Health hazard: 0

Fire: 2

Fire: Z

Reactivity Hazard: 0 Potential Health Effects

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation. **Skin:** May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Aggravated Medical Condition: Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological

properties. DMSO is readily absorbed through skin and may carry such materials into the body.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS Number	EC-No.	Molecular Weight	Chemical Formula
DMSO	67-68-5	200-664-3	78.13	C₂H <sub>6</sub> OS
Tergitol	84133-50-6	617-534-0		

### **SECTION 4: FIRST AID MEASURES**

### Tergitol:

**General advice:** : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment. **If inhaled**: Move person to fresh air; if effects occur, consult a physician.

In case of skin contact: Immediately flush skin with water while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Contaminated leather items such as shoes should be disposed of properly. Safety shower should be located in immediate work area.

In case of eye contact: : Immediately flush eyes with water; remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist. Eye wash fountain should be located in immediate work area.

If swallowed: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed: DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **SECTION 5: FIRE-FIGHTING MEASURES**

#### DMSO:

**Suitable extinguishing media:** For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary. Hazardous combustion products: Hazardous decomposition products formed under fire conditions – see section 10. Further information: Use water spray to cool unopened containers.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Tergitol:

Personal precautions, protective equipment and emergency procedures: solate area. Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Spilled material may cause a slipping hazard. Refer to section 7, Handling, for additional precautionary measures.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Absorb with materials such as: Sand. Dirt. Collect in suitable and properly labeled containers. Do not use water for cleanup. See Section 13, Disposal Considerations, for additional information.

**Personal precautions:** Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Methods for cleaning up:** Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## SECTION 7: HANDLING AND STORAGE

#### Tergitol:

**Handling:** Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Spills of these organic materials on hot fibrous insulations may lead to lowering of the Autoignition temperatures possibly resulting in spontaneous combustion.

**Storage:** No specific requirements. Additional storage and handling information on this product may be obtained by calling your sales or customer service contact. The shelf life given is for unopened containers stored under moderate temperature conditions



#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition (no smoking). Take measures to prevent the buildup of electrostatic charge.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: -20 °C.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Tergitol:**

#### **Control parameters**

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Poly(ethylene oxide)	US WEEL	TWA aerosol	10 mg/m3

Engineering Controls: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

### Personal protective equipment:

#### **Respiratory Protection**

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

#### Hand protection

Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber, Chlorinated polyethylene, Polyethylene.

#### Eye protection

### Use chemical goggles.

### Skin and body protection

Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task

#### DMSO:

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

# Personal protective equipment

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Eye protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Property	Tergitol	DMSO
Appearance:	Liquid	Clear liquid
pH:	7.2	No data available
Water Solubility:	< 0.5 %	Completely miscible
Other Solubility:	No data available	No data available
Boiling Point (°C):	No data available	189 °C (372 °F)
Melting Point (°C):	> 200 °C ( > 392 °F)	16-19 °C (61-66 °F)
Flash Point (°C):	No data available	87 °C (189 °F)
Ignition Temperature (°C):	218 °C ( 424 °F) ASTM D 93	301 °C (574 °F)
Density:	closed cup	1.1 g/ml

# SECTION 10: STABILITY AND REACTIVITY

Property	Tergitol	DMSO



Chemical stability:	Stable under recommended storage conditions	Stable under recommended storage conditions
Conditions to avoid:	Strong heating	Heat, flames, sparks
Materials to avoid:	Strong acids, Strong bases, Strong oxidizing agents	Acid chlorides, phosphorus halides, strong acids, strong oxidizing agents, strong reducing agents
Hazardous decomposition products:	Carbon oxides(fire condition)	Carbon oxides, sulfur oxides

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Tergitol:

Acute toxicity: No data available

Skin corrosion/irritation: Mixture causes skin irritation. Serious eye damage/eye irritation: No data available

Respiratory or skin sensitization: Mixture may cause an allergic skin reaction.

Germ cell mutagenicity: No data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

Reproductive toxicity: No data available

Specific target organ toxicity – single exposure (GHS): No data available Specific target organ toxicity – repeated exposure (GHS): No data available

Aspiration hazard: No data available Synergistic effects: No data available

Additional information: RTECS: No data available

DMSO:

Acute toxicity: LD50 Oral - rat - 14,500 mg/kg LC50 Inhalation - rat - 4 h - 40250 ppm

LD50 Dermal - rabbit - > 5,000 mg/kg **Skin corrosion/irritation:** no data available

Serious eye damage/eye irritation: no data available Respiratory/skin sensitization: no data available

Germ cell mutagenicity: Genotoxicity in vitro - mouse - lymphocyte → Cytogenetic analysis

Genotoxicity in vitro - mouse – lymphocyte → Mutation in mammalian somatic cells.

Genotoxicity in vivo - rat – Intraperitoneal → Cytogenetic analysis Genotoxicity in vivo - mouse – Intraperitoneal → DNA damage

Carcinogenicty: Carcinogenicity - rat - Oral → Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin & Appendages: Other:

Tumors.

Carcinogenicty – mouse – Oral → Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Leukaemia Skin & Appendages: Other:

Tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

**Reproductive toxicity:** Reproductive toxicity – rat – Intraperitoneal → Effects on Fertility: Abortion.

Reproductive toxicity – rat – Intraperitoneal – Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Reproductive toxicity – rat – Subcutaneous – Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Fertility: Litter size (e.g., # fetuses per litter; measured before birth).

Reproductive toxicity –mouse – Oral → Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

**Teratogenicity:** Developmental Toxicity – mouse – Intraperitoneal → Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

Signs and Symptoms of Exposure: Exposure via ingestion may cause nausea, fatigue, headache.

Additional Information: RTECS: PV6210000

### **SECTION 12: ECOLOGICAL INFORMATION**

Tergitol:

Toxicity: No data available

Persistence and degradability: Readily biodegradable

Bioaccumulative potential: No data available

Mobility in soil: No data available



PBT and vPvB assessment: No data available Other adverse effects: No data available

#### DMSO:

Persistence and degradability: no data available

Toxicity: Toxicity to fish: LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex (Water flea) - 27,500 mg/l

Toxicity to algae: EC50 - Lepomis macrochirus (Bluegill) - >400,000 mg/l - 96 h

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available Other adverse effects: no data available

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### **Tergitol:**

Product: Waste material must be disposed of in accordance with the national and loc No mixing with other waste.

**Product:** Observe all federal, state, and local environmental regulations.

Contaminated packaging: Dispose of as unused product.

### **SECTION 14: TRANSPORT INFORMATION**

### **Tergitol:**

DOT (US): Not dangerous goods

IMDG: UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: Environmentally hazardous substance, liquid.

Marine pollutant : yes

IATA: UN number: 3082 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, liquid.

#### DMSO:

DOT (US): UN-Number: 1993, Class: CBL, Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide); Marine

pollutant: No; Poison Inhalation Hazard: No

**IMDG:** Not dangerous goods. **IATA:** Not dangerous goods.

### **SECTION 15: REGULATORY INFORMATION**

OSHA Hazards: DMSO: Combustible liquid, Target organ effect

SARA 302 Components: SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the

threshold (De Minimis) reporting levels established by SARA Title II, Section 313.

SARA 311/312 Hazards: DMSO: Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components: No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components: <u>Dimethyl sulfoxide</u> CAS-No. 67-68-5; Revision Date: 2007-03-01 New Jersey Right To Know Components: <u>Dimethyl sulfoxide</u> CAS-No. 67-68-5; Revision Date: 2007-03-01

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### EU regulations

Component	Risk Phrases	Safety Phrases
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45
Tergitol	R36/37/38; R58	S36/37/39; S57

### **SECTION 16: OTHER INFORMATION**

### **DISCLAIMER:**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. BioVision, Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.