



SDS DATE: August 28, 2023

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: L-Asparaginase Activity Assay
PRODUCT CODES: Cat# MA-0159
RESTRICTIONS ON USE: For laboratory research purposes only. Not for drug or household use.
MANUFACTURER: AkrivisBio, Inc.
ADDRESS: 48511 Warm Springs Blvd., Suite 213, Fremont, CA 94539
EMERGENCY PHONE: 408-739-9315
OTHER CALLS:
FAX PHONE:
EMAIL: sds@akrivisbio.com

SECTION 2: HAZARDS IDENTIFICATION

Component	Description	Volume	Safety Information
Assay Buffer	Proprietary Buffer (contains 0.5% Tergitol)	30 ml	See below
ADHP Solution	In DMSO	200 µl	See below
Asparagine	Lyophilized	n/a	No hazards
GOT Enzyme Mix	Lyophilized	n/a	No hazards
Oxidation Enzyme Mix	Lyophilized	n/a	No hazards
Asparaginase Positive Control	Lyophilized	n/a	No hazards
Aspartate Standard	Liquid	100 µl	No hazards

Tergitol™, 15-S-9:

Emergency Overview:

GHS Classification

Acute toxicity, Oral (Category 4), H302
Acute toxicity, Inhalation (Category 4), H332
Skin irritation (Category 2), H315
Serious eye damage (Category 1), H318

GHS Label elements, including precautionary statements

Pictogram:



Signal word: Danger

GHS Hazard statement(s): H302 + H332 Harmful if swallowed or if inhaled.
H315 Causes skin irritation.
H318 Causes serious eye damage.

GHS Precautionary statement(s):

P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

HMS Classification

Health hazard: 2
Chronic health hazard: 0
Flammability: 0
Physical hazards: 0

NFPA Rating

Health Hazard: 2
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.
Skin: May be harmful if absorbed through skin. May cause skin irritation.
Eyes: May cause eye irritation.
Ingestion: May be harmful if swallowed.

DMSO:

Emergency Overview

OSHA Hazards: Combustible liquid, Target organ effect

Target Organs: Eyes, Skin

GHS Classification: Flammable liquids (Category 4)

GHS Label elements, including precautionary statements

Pictogram: none
Signal word: Warning
Hazard statement(s): H227 Combustible liquid

Precautionary statement(s): none

HMS Classification
Health hazard: 0
Chronic Health Hazard: *



Flammability: 2
Physical hazards: 0
NFPA Rating
Health hazard: 0
Fire: 2
Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Aggravated Medical Condition: Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	EC-No.	Molecular Weight	Chemical Formula
DMSO	67-68-5	200-664-3	78.13	C ₂ H ₆ OS
Tergitol™, 15-S-9	84133-50-6	617-534-0	---	-----

SECTION 4: FIRST AID MEASURES

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed: DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

DMSO:

Suitable extinguishing media: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

Hazardous combustion products: Hazardous decomposition products formed under fire conditions – see section 10.

Further information: Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods for cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapor or mist. Avoid contact with skin and eyes. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: -20 °C.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

DMSO:

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures



Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	DMSO	Tergitol™, 15-S-9
Appearance:	Clear liquid	Colorless liquid
pH:	No data available	No data available
Water Solubility:	Completely miscible	No data available
Other Solubility:	No data available	No data available
Boiling Point (°C):	189 °C (372 °F)	No data available
Melting Point (°C):	16-19 °C (61-66 °F)	No data available
Flash Point (°C):	87 °C (189 °F)	243 °C (469 °F) - open cup - ASTM D 92
Ignition Temperature (°C):	301 °C (574 °F)	No data available
Density:	1.1 g/ml	No data available

SECTION 10: STABILITY AND REACTIVITY

Property	DMSO	Tergitol™, 15-S-9
Chemical stability:	stable under recommended storage	Stable under recommended storage conditions
Conditions to avoid:	Heat, flames, sparks	Strong heating.
Materials to avoid:	Acid chlorides, phosphorus halides, strong acids, strong oxidizing agents, strong reducing agents	Strong bases, Strong oxidizing agents, Strong acids
Hazardous decomposition products:	Carbon oxides, sulfur oxides	No data available

SECTION 11: TOXICOLOGICAL INFORMATION

Tergitol™, 15-S-9:

Acute toxicity: No data available

Skin corrosion/irritation: Irritating to skin.

Serious eye damage/eye irritation: Severe eye irritation

Respiratory or skin sensitization: Patch test on human volunteers did not demonstrate sensitization properties

Germ cell mutagenicity: No data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: No data available

Teratogenicity: No data available

Specific target organ toxicity – single exposure (GHS): The substance or mixture is not classified as specific target organ toxicant, single exposure. Acute oral toxicity - Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Specific target organ toxicity – repeated exposure (GHS): No data available

Aspiration hazard: No data available

Potential Health Effects

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest

Skin: There may be mild irritation at the site of contact.

Eyes: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

DMSO:

Acute toxicity: LD50 Oral – rat – 14,500 mg/kg

LC50 Inhalation – rat – 4 h – 40250 ppm

LD50 Dermal – rabbit – >5,000 mg/kg

Skin corrosion/irritation: Skin – rabbit – no skin irritation – 4h

Serious eye damage/eye irritation: Eyes – rabbit – mild eye irritation

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: Genotoxicity in vitro – mouse – lymphocyte: Cytogenetic analysis

Genotoxicity in vitro – mouse – lymphocyte: Mutation in mammalian somatic cells

Genotoxicity in vivo – rat – Intraperitoneal: Cytogenetic analysis

Genotoxicity in vivo – mouse – Intraperitoneal: DNA damage

Carcinogenicity: Carcinogenicity – rat – Oral → Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Skin and appendages: other: tumors.

Carcinogenicity – mouse – Oral → Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Leukemia skin and appendages: other: tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Reproductive toxicity – rat – Intraperitoneal → Effects on fertility: abortion
Reproductive toxicity – rat – Intraperitoneal → Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants)
Reproductive toxicity – rat – Subcutaneous → Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants). Effects on fertility: litter size (e.g. # fetuses per litter; measured before birth)
Reproductive toxicity – mouse – Oral → Effects on fertility: post-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea). Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system.
Teratogenicity: Developmental toxicity – mouse – Intraperitoneal: Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system
Specific target organ toxicity – single exposure (GHS): no data available
Specific target organ toxicity – repeated exposure (GHS): no data available
Aspiration hazard: no data available
Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Aggravated Medical Condition: Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

Signs and Symptoms of Exposure: Effects due to ingestion may include: nausea, fatigue, and/or headache.

Additional information: RTECS: PV6210000

SECTION 12: ECOLOGICAL INFORMATION

DMSO:

Elimination information (persistence and degradability): no data available

Ecotoxicity effects: Toxicity to fish: LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex (Water flea) - 27,500 mg/l

Toxicity to algae: EC50 - Lepomis macrochirus (Bluegill) - > 400,000 mg/l - 96 h

Further information on ecology: no data available

SECTION 13: DISPOSAL CONSIDERATIONS

Product: Observe all federal, state, and local environmental regulations.

Contaminated packaging: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

DMSO:

DOT (US): UN-Number: 1993, Class: CBL, Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide); Marine pollutant: No; Poison Inhalation Hazard: No

IMDG: Not dangerous goods.

IATA: Not dangerous goods.

SECTION 15: REGULATORY INFORMATION

SARA 302 Components: SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards: Tergitol™, 15-S-9: Acute Health Hazard

Massachusetts Right To Know Components: No components are subject to the Massachusetts Right to Know Act

Pennsylvania Right To Know Components: Dimethyl sulfoxide CAS-No. 67-68-5; Revision Date: 2007-03-01

New Jersey Right To Know Components: Dimethyl sulfoxide CAS-No. 67-68-5; Revision Date: 2007-03-01

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

EU regulations:

Component	Risk Phrases	Safety Phrases
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45

SECTION 16: OTHER INFORMATION

DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. AkrivisBio Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.